

```

NEW FILE.
DATASET NAME DataSet1 WINDOW=FRONT.
CROSSTABS
  /TABLES=Sikap BY PemanfaatanPIKR
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ
  /CELLS=COUNT
  /COUNT ROUND CELL.

```

## Crosstabs

Notes		
Output Created		14-MAR-2021 13:41:19
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	36
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Sikap BY PemanfaatanPIKR /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

Dimensions Requested	2
Cells Available	349496

[DataSet1]

### Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Sikap * PemanfaatanPIKR	36	100.0%	0	0.0%	36	100.0%

### Sikap \* PemanfaatanPIKR Crosstabulation

Count

		PemanfaatanPIKR		Total
		Tidak Memanfaatkan	Memanfaatkan	
Sikap	Negatif	2	0	2
	Positif	0	34	34
Total		2	34	36

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	36.000 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	19.464	1	.000		
Likelihood Ratio	15.448	1	.000		
Fisher's Exact Test				.002	.002
Linear-by-Linear Association	35.000	1	.000		
N of Valid Cases	36				

a. 3 cells (75,0%) have expected count less than 5. The minimum expected count is ,11.

b. Computed only for a 2x2 table

```
SAVE OUTFILE='C:\Users\USER\Downloads\DATA SET ARUM.sav'  
/COMPRESSED.
```